

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 16-Dec-2014

1. PRODUCT AND COMPANY IDENTIFICATION

<u>Product Identifier</u> Product Name: Product Number: Recommended Use: Uses Advised Against:	TERRA GLAZE 5810 Floor Finish For Industrial and Institutional Use Only			
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com			
24 Hour Emergency Phone Number Medical Emergency/Information Transportation/Spill/Leak:				
2. HAZARDS IDENTIFICATIO	Ν			
GHS Classification Not Classified	Not dangerous according to the Globally Harmonized System (GHS)			
GHS Label Elements				
Signal Word:	No signal word			
Symbols: Hazard Statements:	None No hazard statements			
Precautionary Statements:	NO HAZAIO SIALEINEINS			
Prevention:	Not Applicable			
Response:				
-Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.			
Storage:	Not Applicable			
Disposal:	Not Applicable			
Hazards Not Otherwise Classified:	Not Applicable			
Other Information:	 May cause skin irritation. May cause eye irritation. May be harmful if swallowed. Inhalation of vapors or mist may cause respiratory irritation. Keep out of reach of children. 			

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
acrylate copolymer	65405-61-0	10-30
diethylene glycol monoethyl ether	111-90-0	3-7
ethylene copolymer	67892-91-5	1-5

5810 - TERRA GLAZE					Revision Date: 16-Dec-2014
tributoxyethyl phosphate	9		78-51-3		1-5
Specific chemical identi	ty and/or exact	percentage of	composition h	nas been with	nheld as a trade secret.
	4. F		IEASURES	3	
-Eye Contact:					ove contact lenses, if present and Get medical attention.
-Skin Contact: -Inhalation:	easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Wash with soap and water. If skin irritation occurs: Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a				
-Ingestion:	poison control center or physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.				
Note to Physicians:	Treat symptor	matically.			
	5. FIR	E-FIGHTIN	G MEASUR	ES	
Suitable Extinguishing Media:	Product does surrounding fi		mbustion. Use	e extinguishi	ng agent suitable for type of
Specific Hazards Arising from the Chemical:		is capable of t	ourning. Comb	oustion produ	icts are toxic.
Hazardous Combustion Products:	May include C	Carbon monoxi	de Carbon dio	xide and oth	er toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:		NIOSH approve ar. Cool fire-exp			g apparatus (SCBA) and full er spray.
	6. ACCIDE	NTAL REL	EASE MEA	SURES	
Personal Precautions: Environmental Precautions: Methods for Clean-Up:	Do not rinse s Prevent furthe non-combusti	pill onto the gr er leakage or s ble absorbent	ound, into stor pillage if safe t material, (e.g.	rm sewers or to do so. Cor sand, earth,	protective equipment as required. r bodies of water. ntain and collect spillage with diatomaceous earth, vermiculite) national regulations (see Section 13
	7. HA	NDLING AN		GE	
Advice on Safe Handling:			ood industrial	hygiene and	I safety practice. Wash thoroughly
Storage Conditions:				ol and well-v	entilated place. Keep out of the reac
8. EX	POSURE CO	ONTROLS/P	ERSONAL	PROTEC	TION
Occupational Exposure Limits:	None establis	hed.			
Engineering Controls:	If work practic chemicals abo		ust, fumes, ga itional exposu	re limits, loca	mists which expose workers to al exhaust ventilation or other
Personal Protective Equipment Eye/Face Protection: Skin and Body Protection: Respiratory Protection:	Not required v Not required v If occupationa		use. use. its are exceed		tory irritation occurs, use of a
General Hygiene Considerations:	NIOSH/MSH/ 3 should be c Wash hands a	A approved res	pirator suitable ed skin thorou	e for the use ghly after ha	-conditions and chemicals in Sectior

9. PHYSICAL AND CHEMICAL PROPERTIES

	I • • • •
Appearance/Physical State:	Liquid
Color:	White emulsion
Odor:	Acrylic odor
pH:	8.0-8.5
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	99 °C / 210 °F
Flash Point:	> 99 °C / > 210 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.029
Solubility(ies):	Miscible in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity:This material is considered to be non-reactive under normal conditions of use.Chemical Stability:Stable under normal conditions.Possibility of Hazardous Reactions:Not expected to occur with normal handling and storage.Conditions to Avoid:Extremes of temperature and direct sunlight.Incompatible Materials:Strong oxidizing agents. Strong acids.Hazardous DecompositionMay include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.Products:Strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.	
Symptoms of Exposure:		
-Eye Contact:	Pain and redness.	
-Skin Contact:	Drying of the skin.	
-Inhalation:	Nasal discomfort and coughing.	
-Ingestion:	Pain, nausea, vomiting and diarrhea.	
Immediate, Delayed, Chronic Effects	5	
Product Information:	Data not available or insufficient for classification.	

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	19953 mg/kg
ATEmix (dermal):	41027 mg/kg
ATEmix (inhalation-dust/mist):	30.4 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
diethylene glycol monoethyl ether 111-90-0	= 1920 mg/kg (Rat)	= 4200 µL/kg (Rabbit)= 6 mL/kg (Rat)	> 5240 mg/m³ (Rat)4 h
tributoxyethyl phosphate 78-51-3	= 3000 mg/kg(Rat)	> 5000 mg/kg (Rabbit)	> 6.4 mg/L (Rat)4 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
diethylene glycol monoethyl ether 111-90-0	Not Available	11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Lepomis macrochirus mg/L LC50 static 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 13400: 96 h Salmo gairdneri mg/L LC50 flow-through	Not Available	3940 - 4670: 48 h Daphnia magna mg/L EC50
tributoxyethyl phosphate 78-51-3	Not Available	10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	Not Available

Persistence and Degradability: Bioaccumulation: No information available. No information available.

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Proper Shipping Name: Not Regulated Non-Hazardous Products

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

<u>SARA 313</u>

This product contains the following listed substances:

diethylene glycol monoethyl ether

CAS No 111-90-0 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate, Chemical Category N230

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

I his product contains the following Proposition 65 chemicals	
Chemical Name	California Proposition 65

ethylene glycol monoethyl ether - 110-80-5	Developmental
	Male Reproductive

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

16. OTHER INFORMATION

NFPA	Health Hazards: 1	Flammability: 0	Instability: 0	Special: N/A
HMIS	Health Hazards: 1	Flammability: 0	Physical Hazards: 0	

Revision Date:16-Dec-2014Reasons for Revision:No information available.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet